

## Switch Disconnector Fuse Unit (without Fuse Links)

- Conforms to IS/IEC 60947-3
- Range: 32-800A, 415V AC 50Hz
- Door Interlock and Padlock facility
- Version: 2P / TP / TPN / 4P
- Modular Construction
- Positive Isolation
- Suitable for DIN & Bolted HRC Fuse Links



| Size   | Rating Amps | Pole | CSSDF in Open Execution |                |              |                | CSSDF in Sheet Steel Enclosure |                |                |                | Recommended Fuse Links Type (IEC Size) |                |
|--------|-------------|------|-------------------------|----------------|--------------|----------------|--------------------------------|----------------|----------------|----------------|----------------------------------------|----------------|
|        |             |      | Reference               | List Price (₹) | Reference    | List Price (₹) | Reference                      | List Price (₹) | Reference      | List Price (₹) | DIN                                    | BS             |
|        |             |      | DIN                     |                | BS           |                | DIN                            |                | BS             |                |                                        |                |
| Frame1 | 32A         | 2P   | CSSDF32D2               |                | CSSDF32B2    |                |                                |                |                |                | CDFL00 32                              | CTIA-32 (A2)   |
|        |             | TP   | CSSDF32D3               | 1440           | CSSDF32B3    | 1450           | E-CSSDF32D3                    | 2920           | E-CSSDF32B3    | 3080           |                                        |                |
|        |             | TPN  | CSSDF32D3N              | 1510           | CSSDF32B3N   | 1530           | E-CSSDF32D3N                   | 3050           | E-CSSDF32B3N   | 3100           |                                        |                |
|        |             | 4P   | CSSDF32D4FN             | 1980           | CSSDF32B4FN  | 2010           | E-CSSDF32D4FN                  | 3390           | E-CSSDF32B4FN  | 3470           |                                        |                |
| Frame1 | 63A         | 2P   | CSSDF63D2               |                | CSSDF63B2    |                |                                |                |                |                | CDFL00 63                              | CTIS-63 (A3)   |
|        |             | TP   | CSSDF63D3               | 2040           | CSSDF63B3    | 2080           | E-CSSDF63D3                    | 3550           | E-CSSDF63B3    | 3420           |                                        |                |
|        |             | TPN  | CSSDF63D3N              | 2150           | CSSDF63B3N   | 2190           | E-CSSDF63D3N                   | 3870           | E-CSSDF63B3N   | 3970           |                                        |                |
|        |             | 4P   | CSSDF63D4FN             | 2520           | CSSDF63B4FN  | 2560           | E-CSSDF63D4FN                  | 4060           | E-CSSDF63B4FN  | 4120           |                                        |                |
| Frame2 | 100A        | 2P   | CSSDF100D2              |                | CSSDF100B2   |                |                                |                |                |                | CDFL00 100/<br>CSDFL00 100             | CTCP-100 (A4)  |
|        |             | TP   | CSSDF100D3              | 4510           | CSSDF100B3   | 4570           | E-CSSDF100D3                   | 6040           | E-CSSDF100B3   | 6310           |                                        |                |
|        |             | TPN  | CSSDF100D3N             | 4750           | CSSDF100B3N  | 4810           | E-CSSDF100D3N                  | 6600           | E-CSSDF100B3N  | 6730           |                                        |                |
|        |             | 4P   | CSSDF100D4FN            | 5650           | CSSDF100B4FN | 5920           | E-CSSDF100D4FN                 | 7290           | E-CSSDF100B4FN | 7690           |                                        |                |
| Frame2 | 125A        | 2P   | CSSDF125D2              |                | CSSDF125B2   |                |                                |                |                |                | CDFL00 125/<br>CSDFL00 125             | CTCP-125 (A4)  |
|        |             | TP   | CSSDF125D3              | 4820           | CSSDF125B3   | 4940           | E-CSSDF125D3                   | 7380           | E-CSSDF125B3   | 6960           |                                        |                |
|        |             | TPN  | CSSDF125D3N             | 5080           | CSSDF125B3N  | 5200           | E-CSSDF125D3N                  | 7670           | E-CSSDF125B3N  | 7850           |                                        |                |
|        |             | 4P   | CSSDF125D4FN            | 6250           | CSSDF125B4FN | 6550           | E-CSSDF125D4FN                 | 7870           | E-CSSDF125B4FN | 8320           |                                        |                |
| Frame2 | 160A        | 2P   | CSSDF160D2              |                | CSSDF160B2   |                |                                |                |                |                | CDFL00 160                             | CTF-160 (B2)   |
|        |             | TP   | CSSDF160D3              | 5810           | CSSDF160B3   | 5870           | E-CSSDF160D3                   | 7840           | E-CSSDF160B3   | 7920           |                                        |                |
|        |             | TPN  | CSSDF160D3N             | 6110           | CSSDF160B3N  | 6180           | E-CSSDF160D3N                  | 8430           | E-CSSDF160B3N  | 8590           |                                        |                |
|        |             | 4P   | CSSDF160D4FN            | 7330           | CSSDF160B4FN | 8040           | E-CSSDF160D4FN                 | 10490          | E-CSSDF160B4FN | 11580          |                                        |                |
| Frame3 | 200A        | 2P   | CSSDF200D2              |                | CSSDF200B2   |                |                                |                |                |                | CDFL1 200/<br>CSDFL1 200               | CTF-200 (B2)   |
|        |             | TP   | CSSDF200D3              | 6740           | CSSDF200B3   | 6580           | E-CSSDF200D3                   | 9030           | E-CSSDF200B3   | 8220           |                                        |                |
|        |             | TPN  | CSSDF200D3N             | 7710           | CSSDF200B3N  | 7280           | E-CSSDF200D3N                  | 9590           | E-CSSDF200B3N  | 9830           |                                        |                |
|        |             | 4P   | CSSDF200D4FN            | 8520           | CSSDF200B4FN | 8660           | E-CSSDF200D4FN                 | 11080          | E-CSSDF200B4FN | 11225          |                                        |                |
| Frame3 | 250A        | 2P   | CSSDF250D2              |                | CSSDF250B2   |                |                                |                |                |                | CDFL1 250/<br>CSDFL1 250               | CTKF (B3)      |
|        |             | TP   | CSSDF250D3              | 8120           | CSSDF250B3   | 8250           | E-CSSDF250D3                   | 10480          | E-CSSDF250B3   | 10220          |                                        |                |
|        |             | TPN  | CSSDF250D3N             | 8560           | CSSDF250B3N  | 8680           | E-CSSDF250D3N                  | 11550          | E-CSSDF250B3N  | 11640          |                                        |                |
|        |             | 4P   | CSSDF250D4FN            | 9760           | CSSDF250B4FN | 9980           | E-CSSDF250D4FN                 | 12690          | E-CSSDF250B4FN | 12970          |                                        |                |
| Frame3 | 315A        | 2P   | CSSDF315D2              |                | CSSDF315B2   |                |                                |                |                |                | CDFL2 315/<br>CSDFL2 315               | CTKF-315 (B3)  |
|        |             | TP   | CSSDF315D3              | 10430          | CSSDF315B3   | 10560          | E-CSSDF315D3                   | 13050          | E-CSSDF315B3   | 13940          |                                        |                |
|        |             | TPN  | CSSDF315D3N             | 10980          | CSSDF315B3N  | 11120          | E-CSSDF315D3N                  | 14390          | E-CSSDF315B3N  | 14570          |                                        |                |
|        |             | 4P   | CSSDF315D4FN            | 13070          | CSSDF315B4FN | 14120          | E-CSSDF315D4FN                 | 17260          | E-CSSDF315B4FN | 18640          |                                        |                |
| Frame3 | 400A        | 2P   | CSSDF400D2              |                | CSSDF400B2   |                |                                |                |                |                | CDFL2 400/<br>CSDFL2 400               | CTMF-400 (B4)  |
|        |             | TP   | CSSDF400D3              | 12850          | CSSDF400B3   | 13110          | E-CSSDF400D3                   | 15930          | E-CSSDF400B3   | 16390          |                                        |                |
|        |             | TPN  | CSSDF400D3N             | 13530          | CSSDF400B3N  | 13800          | E-CSSDF400D3N                  | 17050          | E-CSSDF400B3N  | 17390          |                                        |                |
|        |             | 4P   | CSSDF400D4FN            | 15160          | CSSDF400B4FN | 16700          | E-CSSDF400D4FN                 | 18200          | E-CSSDF400B4FN | 20040          |                                        |                |
| Frame4 | 630A        | 2P   | CSSDF630D2              |                | CSSDF630B2   |                |                                |                |                |                | CDFL3 630                              | CTTM-630 (C2)  |
|        |             | TP   | CSSDF630D3              | 21240          | CSSDF630B3   | 22390          | E-CSSDF630D3                   | 22910          | E-CSSDF630B3   | 25080          |                                        |                |
|        |             | TPN  | CSSDF630D3N             | 22370          | CSSDF630B3N  | 23540          | E-CSSDF630D3N                  | 25270          | E-CSSDF630B3N  | 26630          |                                        |                |
|        |             | 4P   | CSSDF630D4FN            | 24360          | CSSDF630B4FN | 25930          | E-CSSDF630D4FN                 | 29480          | E-CSSDF630B4FN | 31370          |                                        |                |
| Frame4 | 800A        | 2P   | CSSDF800D2              |                | CSSDF800B2   |                |                                |                |                |                | -                                      | CTLTM-800 (C3) |
|        |             | TP   | CSSDF800D3              | 25900          | CSSDF800B3   | 27170          | E-CSSDF800D3                   | POR            | E-CSSDF800B3   | POR            |                                        |                |
|        |             | TPN  | CSSDF800D3N             | 27260          | CSSDF800B3N  | 28600          | E-CSSDF800D3N                  | POR            | E-CSSDF800B3N  | POR            |                                        |                |
|        |             | 4P   | CSSDF800D4FN            | 29160          | CSSDF800B4FN | 32030          | E-CSSDF800D4FN                 | POR            | E-CSSDF800B4FN | POR            |                                        |                |

Notes: \* 2 Pole switch prices available on request.

## Accessories Switch Disconnector Fuse Unit



| For Switch Type                          | Reference  | List Price (₹) |
|------------------------------------------|------------|----------------|
| <b>Key Interlocks (3 Locks - 2 Keys)</b> |            |                |
| CSSDF 32A - 160A                         | CSSDFZW-16 | 2820           |
| CSSDF 200A - 800A                        | CSSDFZW-5  | 3160           |



|                         |            |      |
|-------------------------|------------|------|
| <b>Castle Key Locks</b> |            |      |
| CSSDF 32A - 160A        | CSSDFZW-15 | 3610 |
| CSSDF 200A - 800A       | CSSDFZW-4  | 3800 |



|                                         |             |     |
|-----------------------------------------|-------------|-----|
| <b>Auxiliary Contacts</b>               |             |     |
| 1 NO + 1 NC CSSDF 32A - 63A for 3P      | CSSDFZX 46  | 485 |
| 2 NO + 2 NC CSSDF 32A - 63A for 3P      | CSSDFZX 32  | 895 |
| 1 NO + 1 NC CSSDF 32A - 63A for 2P & 4P | CSSDFZX 46B | 485 |
| 2 NO + 2 NC CSSDF 32A - 63A for 2P & 4P | CSSDFZX 32B | 895 |
| 1 NO + 1 NC CSSDF 100A - 160A           | CSSDFZX 1   | 485 |
| 2 NO + 2 NC CSSDF 100A - 160A           | CSSDFZX 16  | 895 |
| 1 NO + 1 NC CSSDF 200A - 400A           | CSSDFZX 33  | 485 |
| 2 NO + 2 NC CSSDF 200A - 400A           | CSSDFZX 34  | 895 |
| 1 NO + 1 NC CSSDF 630A - 800A           | CSSDFZX 35  | 485 |
| 2 NO + 2 NC CSSDF 630A - 800A           | CSSDFZX 36  | 895 |



|                                                                       |         |      |
|-----------------------------------------------------------------------|---------|------|
| <b>Handle Mounting Kit (for independent mounting of O/E Switches)</b> |         |      |
| CSSDF 200A - 400A                                                     | HMK-1-2 | 1225 |
| CSSDF 630A - 800A                                                     | HMK-3-2 | 1295 |



|                           |     |        |      |    |        |      |
|---------------------------|-----|--------|------|----|--------|------|
| <b>Extended Terminals</b> |     |        |      |    |        |      |
| 32A-63A                   | TPN | ET-323 | 328  | 4P | ET-324 | 390  |
| 100A-160                  | TPN | ET-327 | 780  | 4P | ET-328 | 1120 |
| 200A-400A                 | TPN | ET-329 | 2295 | 4P | ET-330 | 2790 |



|                           |              |      |
|---------------------------|--------------|------|
| <b>Spare Handle</b>       |              |      |
| CSSDF 32A-160A (Moulded)  | CSWH 80 S6   | 505  |
| CSSDF 200A-400A (Moulded) | CSWH 145 S12 | 865  |
| CSSDF 630A-800A (Moulded) | CSWH 220 S12 | 1105 |

|                           |           |     |
|---------------------------|-----------|-----|
| <b>Spare Handle Shaft</b> |           |     |
| CSSDF 32A-160A            | CSP6x165  | 225 |
| CSSDF 200A-800A           | CSP12x255 | 380 |



|                            |             |     |
|----------------------------|-------------|-----|
| <b>Spare Neutral Links</b> |             |     |
| CSSDF 32A-63A              | CSSDF ZX 87 | 311 |
| CSSDF 100A-160A            | CSSDF ZX 86 | 370 |
| CSSDF 200A-400A            | CSSDF ZX 85 | 640 |
| CSSDF 630A-800A            | CSSDF ZX 88 | 730 |

| <b>Spare Poles (Price per Pole)</b> |               |               |                |
|-------------------------------------|---------------|---------------|----------------|
| Rating (Amps)                       | Reference     |               | List Price (₹) |
|                                     | DIN           | BS            |                |
| 32                                  | CSSDF-SP-32D  | CSSDF-SP-32B  | 866            |
| 63                                  | CSSDF-SP-63D  | CSSDF-SP-63B  | 1115           |
| 100                                 | CSSDF-SP-100D | CSSDF-SP-100B | 2090           |
| 125                                 | CSSDF-SP-125D | CSSDF-SP-125B | 2305           |
| 160                                 | CSSDF-SP-160D | CSSDF-SP-160B | 2695           |
| 200                                 | CSSDF-SP-200D | CSSDF-SP-200B | 3125           |
| 250                                 | CSSDF-SP-250D | CSSDF-SP-250B | 4272           |
| 315                                 | CSSDF-SP-315D | CSSDF-SP-315B | 4785           |
| 400                                 | CSSDF-SP-400D | CSSDF-SP-400B | 6135           |
| 630                                 | CSSDF-SP-630D | CSSDF-SP-630B | 8730           |
| 800                                 | --            | CSSDF-SP-800B | 10640          |

## Switch Disconnectors (Load Break Switches)

- Conforms to IS/IEC 60947-3
- Range: 25A-250A, 415V AC 50Hz
- Version: TP / 4P
- Compact Construction
- Door Interlock and Padlock facility
- Positive Isolation



| Size      |         | Rating<br>Amps | Pole | CSSD In Open Execution |                | In Sheet Steel Enclosure |                |
|-----------|---------|----------------|------|------------------------|----------------|--------------------------|----------------|
|           |         |                |      | Reference              | List Price (₹) | Reference                | List Price (₹) |
| D-Series  | Frame 1 | 25             | 3    | CSSD25D3               | 1190           | E-CSSD25D3               | 2490           |
|           |         |                | 4    | CSSD25D4               | 1510           | E-CSSD25D4               | 2705           |
|           | Frame 1 | 40             | 3    | CSSD40D3               | 1220           | E-CSSD40D3               | 2930           |
|           |         |                | 4    | CSSD40D4               | 2380           | E-CSSD40D4               | 3130           |
|           | Frame 2 | 63             | 3    | CSSD63K3               | 1840           | E-CSSD63K3               | 3460           |
|           | Frame 3 |                | 4    | CSSD63D4               | 2590           | E-CSSD63D4               | 4100           |
|           | Frame 3 | 125            | 3    | CSSD125D3              | 4100           | E-CSSD125D3              | 5730           |
|           | Frame 3 |                | 4    | CSSD125D4              | 4990           | E-CSSD125D4              | 6370           |
| NM-Series | Frame 1 | 125            | 3    | CSSD125NM3             | 4270           | E-CSSD125NM3             | 6315           |
|           |         |                | 4    | CSSD125NM4             | 5270           | E-CSSD125NM4             | 7790           |
|           | Frame 1 | 160            | 3    | CSSD160NM3             | 4765           | E-CSSD160NM3             | 7050           |
|           |         |                | 4    | CSSD160NM4             | 5675           | E-CSSD160NM4             | 8400           |
|           | Frame 1 | 200            | 3    | CSSD200NM3             | 6080           | E-CSSD200NM3             | 7905           |
|           |         |                | 4    | CSSD200NM4             | 7895           | E-CSSD200NM4             | 10260          |
|           | Frame 1 | 250            | 3    | CSSD250NM3             | 6155           | E-CSSD250NM3             | 9110           |
|           |         |                | 4    | CSSD250NM4             | 8545           | E-CSSD250NM4             | 12645          |



| Switch Disconnecter with Detachable Handle |             |      |                        |              |                |
|--------------------------------------------|-------------|------|------------------------|--------------|----------------|
| Size                                       | Rating Amps | Pole | CSSD In Open Execution |              | List Price (₹) |
|                                            |             |      | Reference              |              |                |
| NM-Series                                  | Frame1      | 125  | 3                      | CSSD125NM3-D | 3815           |
|                                            |             |      | 4                      | CSSD125NM4-D | 4740           |
|                                            | Frame1      | 160  | 3                      | CSSD160NM3-D | 4750           |
|                                            |             |      | 4                      | CSSD160NM4-D | 5675           |
|                                            | Frame1      | 200  | 3                      | CSSD200NM3-D | 4900           |
|                                            |             |      | 4                      | CSSD200NM4-D | 7110           |
|                                            | Frame1      | 250  | 3                      | CSSD250NM3-D | 6470           |
|                                            |             |      | 4                      | CSSD250NM4-D | 7555           |

**Note:** Rotary Handle with door defeat Mechanism / Pistol grip handle is available only for 25-63A.

## Switch Disconnectors (Load Break Switches)

- Conforms to IS/IEC 60947-3
- Range: 125A-3150A, 415V, 50Hz
- Version: 2P, 3P, 4P
- Modular construction
- Positive Isolation
- Door Interlock and Padlock facility



| Size      |        | Rating Amps | Pole | CSSD In Open Execution |                | In Sheet Steel Enclosure |                |
|-----------|--------|-------------|------|------------------------|----------------|--------------------------|----------------|
|           |        |             |      | Reference              | List Price (₹) | Reference                | List Price (₹) |
| DM-Series | Frame4 | 125         | 2    | CSSD125DM2             | POR            |                          | POR            |
|           |        |             | 3    | CSSD125DM3             |                | E-CSSD125DM3             |                |
|           |        |             | 4    | CSSD125DM4             |                | E-CSSD125DM4             |                |
|           | Frame4 | 160         | 2    | CSSD160DM2             |                |                          |                |
|           |        |             | 3    | CSSD160DM3             |                | E-CSSD160DM3             |                |
|           |        |             | 4    | CSSD160DM4             |                | E-CSSD160DM4             |                |
|           | Frame5 | 200         | 2    | CSSD200DM2             |                |                          |                |
|           |        |             | 3    | CSSD200DM3             |                | E-CSSD200DM3             |                |
|           |        |             | 4    | CSSD200DM4             |                | E-CSSD200DM4             |                |
|           | Frame5 | 250         | 2    | CSSD250DM2             |                |                          |                |
|           |        |             | 3    | CSSD250DM3             |                | E-CSSD250DM3             |                |
|           |        |             | 4    | CSSD250DM4             |                | E-CSSD250DM4             |                |
|           | Frame5 | 315         | 2    | CSSD315DM2             | POR            |                          | -              |
|           |        |             | 3    | CSSD315DM3             | 9950           | E-CSSD315DM3             | 11940          |
|           |        |             | 4    | CSSD315DM4             | 11570          | E-CSSD315DM4             | 13880          |
|           | Frame5 | 400         | 2    | CSSD400DM2             | POR            |                          | -              |
|           |        |             | 3    | CSSD400DM3             | 11800          | E-CSSD400DM3             | 14150          |
|           |        |             | 4    | CSSD400DM4             | 13720          | E-CSSD400DM4             | 16460          |
| K Series  | Frame6 | 630         | 2    | CSSD630K2              | POR            |                          | -              |
|           |        |             | 3    | CSSD630K3              | 17420          | E-CSSD630K3              | 20210          |
|           |        |             | 4    | CSSD630K4              | 20250          | E-CSSD630K4              | 23490          |
|           | Frame6 | 800         | 2    | CSSD800K2              | POR            |                          | -              |
|           |        |             | 3    | CSSD800K3              | 20380          | E-CSSD800K3              | 23640          |
|           |        |             | 4    | CSSD800K4              | 23700          | E-CSSD800K4              | 28440          |
| P Series  | Frame7 | 1000        | 2    | CSSD1000P2             | POR            |                          | -              |
|           |        |             | 3    | CSSD1000P3             | 25380          | E-CSSD1000P3             | 37560          |
|           |        |             | 4    | CSSD1000P4             | 33830          | E-CSSD1000P4             | 50070          |
|           | Frame7 | 1250        | 2    | CSSD1250P2             | POR            |                          | -              |
|           |        |             | 3    | CSSD1250P3             | 34440          | E-CSSD1250P3             | 46830          |
|           |        |             | 4    | CSSD1250P4             | 45310          | E-CSSD1250P4             | 61610          |
|           | Frame7 | 1600        | 2    | CSSD1600P2             | POR            |                          | -              |
|           |        |             | 3    | CSSD1600P3             | 43130          | E-CSSD1600P3             | 58650          |
|           |        |             | 4    | CSSD1600P4             | 57500          | E-CSSD1600P4             | 78200          |
|           | Frame8 | 2000        | 3    | CSSD2000P3             | 86290          | E-CSSD2000P3             | 111320         |
|           |        |             | 4    | CSSD2000P4             | 98060          | E-CSSD2000P4             | 126500         |
|           | Frame8 | 2500        | 3    | CSSD2500P3             | 96520          | E-CSSD2500P3             | 123550         |
|           |        |             | 4    | CSSD2500P4             | 109690         | E-CSSD2500P4             | 140400         |
|           | Frame8 | 3150        | 3    | CSSD3150P3             | 121810         | E-CSSD3150P3             | 165680         |
|           |        |             | 4    | CSSD3150P4             | 138420         | E-CSSD3150P4             | 192400         |

### Notes:

'K' series from 1000A to 3150A in open execution is also available on special request for retrofit orders only. For price, please contact nearest Branch Office.  
Handle colour: Red Knob and Yellow Base (standard) Black Base and Knob on request. ■ upto 800A

## Switch Disconnectors (Moulded construction)

### ACCESSORIES



| For Switch Type                          | Reference   | List Price (₹) |
|------------------------------------------|-------------|----------------|
| <b>Key Interlocks (3 Locks - 2 Keys)</b> |             |                |
| CSSD 125A-160A                           | CSSDZW - 16 | 3785           |
| CSSD 200A-3150A                          | CSSDZW - 5  |                |

|                         |             |      |
|-------------------------|-------------|------|
| <b>Castle Key Locks</b> |             |      |
| CSSD 25A-160A           | CSSDZW - 15 | 3190 |
| CSSD 200A-3150A         | CSSDZW - 4  |      |

|                               |     |           |     |
|-------------------------------|-----|-----------|-----|
| <b>Auxiliary Contacts</b>     |     |           |     |
| 1 NO+1 NC CSSD 25A-40A        | 3   | CSSDZX 49 | 495 |
| 2 NO+2 NC CSSD 25A-40A        | 3   | CSSDZX 50 | 935 |
| 1 NO+1 NC CSSD 25A-40A        | 4   | CSSDZX 87 | 495 |
| 2 NO+2 NC CSSD 25A-40A        | 4   | CSSDZX 88 | 935 |
| 1 NO+1 NC CSSD 63A            | 3   | CSSDZX 79 | 495 |
| 2 NO+2 NC CSSD 63A            | 3   | CSSDZX 80 | 935 |
| 1 NO+1 NC CSSD 125A           | 3   | CSSDZX 52 | 495 |
| 2 NO+2 NC CSSD 125A           | 3   | CSSDZX 53 | 935 |
| 1 NO+1 NC CSSD 63A-125A       | 4   | CSSDZX 55 | 495 |
| 2 NO+2 NC CSSD 63A-125A       | 4   | CSSDZX 56 | 935 |
| 1 NO+1 NC CSSD 125A-160A (DM) | 3/4 | CSSDZX 1  | 935 |
| 2 NO+2 NC CSSD 125A-160A (DM) | 3/4 | CSSDZX 16 |     |
| 1 NO+1 NC CSSD 200A-400A (DM) | 3/4 | CSSDZX 37 |     |
| 2 NO+2 NC CSSD 200A-400A (DM) | 3/4 | CSSDZX 38 |     |
| 1 NO+1 NC CSSD 630A-800A      | 3/4 | CSSDZX 33 |     |
| 2 NO+2 NC CSSD 630A-800A      | 3/4 | CSSDZX 34 |     |
| 1 NO+1 NC CSSD 1000A-3150A    | 3/4 | CSSDZX 35 |     |
| 2 NO+2 NC CSSD 1000A-3150A    | 3/4 | CSSDZX 36 |     |

|                                                                       |         |      |
|-----------------------------------------------------------------------|---------|------|
| <b>Handle Mounting Kit (for independent mounting of O/E Switches)</b> |         |      |
| CSSD 200A-400A (Compact Series)                                       | HMK-2   | 1235 |
| CSSD 630A-800A                                                        | HMK-1-1 | 1245 |
| CSSD 1000A-1600A                                                      | HMK-3-1 | 1330 |

|                           |     |        |      |    |        |      |
|---------------------------|-----|--------|------|----|--------|------|
| <b>Extended Terminals</b> |     |        |      |    |        |      |
| 125                       | TPN | ET-325 | 443  | 4P | ET-326 | 485  |
| 125-160 (Compact)         | TPN | ET-327 | 792  | 4P | ET-328 | 1130 |
| 200-400                   | TPN | ET-329 | 2315 | 4P | ET-330 | 2820 |

|                                    |             |     |
|------------------------------------|-------------|-----|
| <b>Rotary Knob Handles</b>         |             |     |
| CSSD 25A-125A (Moulded-Red/Yellow) | CSSDZX108   | 308 |
| CSSD 25A-125A (Moulded-Black)      | CSSDZX111BL |     |

|                             |                  |      |
|-----------------------------|------------------|------|
| <b>Switch Handles</b>       |                  |      |
| CSSD 200A-800A (Moulded)    | CSWH 145 S12     | 875  |
| CSSD 1000A-1600A (Metallic) | CSWH 220 S12 (M) | 1110 |
| CSSD 2500A-3150A (Metallic) | CSDA8            | 1307 |
| CSSD 125A-160A (Moulded)    | CSWH 80 S6       | 505  |
| CSSD 200A-315A (Moulded)    | CSWH80 S8        |      |

|                            |           |     |
|----------------------------|-----------|-----|
| <b>Switch Handle Shaft</b> |           |     |
| CSSD 25A-125A              | CSP5X70   | 340 |
| CSSD 125A-160A (DM)        | CAP6X165  | 225 |
| CSSD 200A-400A (DM)        | CSP8X240  |     |
| CSSD 630A-1600A            | CSP12X255 | 390 |
| CSSD 2500A-3150A           | CSP12X325 | 475 |

|                                      |               |       |
|--------------------------------------|---------------|-------|
| <b>Switch Poles (Price per Pole)</b> |               |       |
| 125A                                 | CSSD-SP-125DM | 1190  |
| 160A                                 | CSSD-SP-160DM | 1380  |
| 200A                                 | CSSD-SP-200DM | 1590  |
| 250A                                 | CSSD-SP-250DM | 2130  |
| 315A                                 | CSSD-SP-315DM | 3100  |
| 400A                                 | CSSD-SP400K   | 5970  |
| 630A                                 | CSSD-SP630K   | 6845  |
| 800A                                 | CSSD-SP800K   | 9025  |
| 1000A                                | CSSD-SP1000P  | 13690 |
| 1250A                                | CSSD-SP1250P  | 16335 |
| 1600A                                | CSSD-SP1600P  | 17150 |