


CABLE TIES

束帶


MATERIAL: NYLON 66
COLOR: NATURE



ITEM NO.		Length mm(inch)	Width mm(inch)	Max. Bundle Dia mm(inch)	Min. Loop Tensile Strength kg(lbs)
1000 pcs/bag	100 pcs/bag				
GT-80M	GT-80MC	80 (3.15)	2.4(0.09)	15 (0.59)	8.0(17.6)
GT-90M	GT-90MC	90 (3.54)		16 (0.63)	
GT-100M	GT-100MC	100 (3.94)		22 (0.87)	
GT-120M	GT-120MC	120 (4.72)	2.5(0.10)	30 (1.18)	8.1(17.9)
GT-140M	GT-140MC	140 (5.51)		33 (1.30)	
GT-150M	GT-150MC	150 (5.91)		35 (1.38)	
GT-160M	GT-160MC	160 (6.30)		40 (1.57)	
GT-200M	GT-200MC	200 (7.87)		53 (2.09)	
GT-250M	GT-250MC	250 (9.84)	2.8(0.11)	65 (2.56)	14(31)
GT-300M	GT-300MC	300 (11.81)		76 (2.99)	
GT-120I	GT-120IC	121 (4.76)	3.6(0.14)	30 (1.18)	18.2(40)
GT-140I	GT-140IC	140 (5.51)		33 (1.30)	
GT-150I	GT-150IC	150 (5.91)		35 (1.38)	
GT-180I	GT-180IC	180 (7.09)		44 (1.73)	
GT-200I	GT-200IC	200 (7.87)		53 (2.09)	
GT-215I	GT-215IC	215 (8.46)		56 (2.20)	
GT-250I	GT-250IC	250 (9.84)		65 (2.56)	
GT-280I	GT-280IC	280 (11.02)		69 (2.72)	
GT-300I	GT-300IC	300 (11.81)		76 (2.99)	
GT-370I	GT-370IC	370 (14.57)		102 (4.02)	
GT-120ST	GT-120STC	120 (4.72)	4.8(0.19)	24 (0.94)	22.2(49)
GT-150ST	GT-150STC	150 (5.91)		35 (1.38)	
GT-160ST	GT-160STC	160 (6.30)		38 (1.50)	
GT-190ST	GT-190STC	188 (7.40)		46 (1.81)	
GT-200ST	GT-200STC	200 (7.87)		50 (1.97)	
GT-216ST	GT-216STC	215 (8.46)		53 (2.09)	
GT-250ST	GT-250STC	250 (9.84)		60 (2.36)	
GT-266ST	GT-266STC	265 (10.43)		65 (2.56)	
GT-280ST	GT-280STC	280 (11.02)		70 (2.76)	
GT-300ST	GT-300STC	300 (11.81)		76 (2.99)	
	GT-370ST	370 (14.57)		102 (4.02)	
	GT-390ST	390 (15.35)		105 (4.13)	
	GT-430ST	430 (16.93)		110 (4.33)	
	GT-450ST	450 (17.72)		116 (4.57)	
	GT-530ST	530 (20.87)		140 (5.51)	

CABLE TIES

束帶




MATERIAL: NYLON 66

COLOR: NATURE

ITEM NO.		Length mm(inch)	Width mm(inch)	Max. Bundle Dia mm(inch)	Min. Loop Tensile Strength kg(lbs)
1000 pcs/bag	100 pcs/bag				
	GT-550ST	550 (21.65)	4.8(0.19)	145 (5.71)	22.2(49)
	GT-635ST	635 (25.00)		190 (7.48)	
	GT-685ST	685 (26.97)		205 (8.07)	
	GT-730ST	735 (28.94)		224 (8.82)	40(88)
	GT-830ST	830 (32.68)		254 (10.00)	
	GT-150HD	150 (5.91)	7.6(0.30)	33 (1.30)	54.4(120)
	GT-200HD	200 (7.87)		50 (1.97)	
	GT-240HD	240 (9.45)		63 (2.48)	
	GT-250HD	250 (9.84)		65 (2.56)	
	GT-280HD	280 (11.02)		71 (2.80)	
	GT-300HD	300 (11.81)		76 (2.99)	
	GT-370HD	368 (14.49)		102 (4.02)	
	GT-430HD-S	430 (16.93)		125 (4.92)	
	GT-450HD-S	450 (17.72)		132 (5.20)	
	GT-540HD-S	533 (20.98)		140 (5.51)	
	GT-750HD	750 (29.53)		218 (8.58)	
	GT-380HD	380 (14.96)	9.0(0.35)	92.2 (3.63)	79.4(175)
	GT-430HD	430 (16.93)		110 (4.33)	
	GT-450HD	450 (17.72)		120 (4.72)	
	GT-530HD	526 (20.71)		140 (5.51)	
	GT-630HD	610 (24.02)		187 (7.36)	
	GT-710HD	710 (27.95)		190 (7.48)	
	GT-780HD	776 (30.55)		228 (8.98)	
	GT-830HD	815 (32.09)		239 (9.41)	
	GT-920HD	912 (35.91)		263 (10.35)	
	GT-1020HD	1020 (40.16)		295 (11.61)	
	GT-1070HD	1070 (42.13)		320 (12.60)	
	GT-1220HD	1220 (48.03)		365 (14.37)	
	GT-1370HD	1375 (54.13)		412 (16.22)	
	GT-1530HD	1530 (60.24)		460 (18.11)	

BALL LOCK TYPE STAINLESS STEEL TIES


球鎖型不銹鋼束帶



MATERIAL: STAINLESS STEEL TYPE: #304

ITEM NO.	Max. Bundle Dia mm(inch)	Length mm(inch)	Width mm(inch)	Min. Loop Tensile Strength kg(lbs)
100 pcs/bag				
450127-304	25 (1.0)	127 (5.0)	4.6 (0.18)	45.3 (100)
450201-304	51 (2.0)	201 (7.9)		
450266-304	69 (2.7)	266 (10.5)		
450300-304	76 (3.0)	300 (11.8)		
450362-304	102 (4.0)	362 (14.2)		
450521-304	152 (6.0)	521 (20.4)		
450679-304	203 (8.0)	679 (26.8)		
450838-304	254 (10.0)	838 (33.0)		
451067-304	305 (12.0)	1067 (42.0)		
451194-304	356 (14.0)	1194 (47.0)		
800152-304	25 (1.0)	152 (6.0)	7.9 (0.31)	113.3 (250)
800201-304	51 (2.0)	201 (7.9)		
800266-304	69 (2.7)	266 (10.5)		
800300-304	76 (3.0)	300 (11.8)		
800362-304	102 (4.0)	362 (14.2)		
800521-304	152 (6.0)	521 (20.4)		
800679-304	203 (8.0)	679 (26.8)		
800838-304	254 (10.0)	838 (33.0)		
801067-304	305 (12.0)	1067 (42.0)		
801194-304	356 (14.0)	1194 (47.0)		

BALL LOCK TYPE STAINLESS STEEL TIES
球鎖型不銹鋼束帶



MATERIAL: STAINLESS STEEL TYPE: #316

ITEM NO.	Max. Bundle Dia mm(inch)	Length mm(inch)	Width mm(inch)	Min. Loop Tensile Strength kg(lbs)
100 pcs/bag				
450127-316	25 (1.0)	127 (5.0)	4.6 (0.18)	45.3 (100)
450152-316	33 (1.3)	152 (6.0)		
450201-316	51 (2.0)	201 (7.9)		
450266-316	69 (2.7)	266 (10.5)		
450300-316	76 (3.0)	300 (11.8)		
450362-316	102 (4.0)	362 (14.2)		
450521-316	152 (6.0)	521 (20.4)		
450679-316	203 (8.0)	679 (26.8)		
450838-316	254 (10.0)	838 (33.0)		
451067-316	305 (12.0)	1067 (42.0)		
451194-316	356 (14.0)	1194 (47.0)		
800152-316	25 (1.0)	152 (6.0)	7.9 (0.31)	113.3 (250)
800201-316	51 (2.0)	201 (7.9)		
800266-316	69 (2.7)	266 (10.5)		
800300-316	76 (3.0)	300 (11.8)		
800362-316	102 (4.0)	362 (14.2)		
800521-316	152 (6.0)	521 (20.4)		
800679-316	203 (8.0)	679 (26.8)		
800838-316	254 (10.0)	838 (33.0)		
801067-316	305 (12.0)	1067 (42.0)		
801194-316	356 (14.0)	1194 (47.0)		