


TOOLS**手工具****SGT-236H**

CRIMPING ALL INSULATED TERMINALS AND
DOUBLE CRIMP INSULATED FEMALE/ MALE DISCONNECTORS

1. 22-16 AWG (1.25mm²)
2. 16-14 AWG (2.0mm²)
3. 12-10 AWG (5.5mm²)

**SGT-236R**


CRIMPING SINGLE CRIMP INSULATED FEMALE/ MALE DISCONNECTORS

1. 22-16 AWG (1.25mm²)
2. 16-14 AWG (2.0mm²)
3. 12-10 AWG (5.5mm²)

**SGT-236N**


CRIMPING NON-INSULATED TERMINALS

1. 22-16 AWG (1.25mm²)
2. 16-14 AWG (2.0mm²)
3. 12-10 AWG (5.5mm²)

**SGT-236C**

CRIMPING OPEN BARREL TERMINALS

1. 22-16 AWG (1.25mm²)
2. 16-14 AWG (2.0mm²)
3. 12-10 AWG (5.5mm²)

**SGT-236E**

CRIMPING CORD END SLEEVES


- | | |
|----------------------------------|---------------------------------|
| 1. 22 AWG (0.5mm ²) | 4. 16 AWG (1.5mm ²) |
| 2. 20 AWG (0.75mm ²) | 5. 14 AWG (2.5mm ²) |
| 3. 18 AWG (1.0mm ²) | 6. 12 AWG (4.0mm ²) |



SGT-236E1

CRIMPING CORD END SLEEVES


1. 10 AWG (6mm²)
2. 8 AWG (10mm²)
3. 6 AWG (16mm²)



SGT-236F

CRIMPING INSULATED FLAG TERMINALS

1. 22-16 AWG (1.25mm²)
2. 16-14 AWG (2.0mm²)



SGT-8162

CRIMPING INSULATED TERMINALS AND DISCONNECTORS

LESS PUSH STRENGTH UP TO 30%


1. 22-16 AWG (1.25mm²)
2. 16-14 AWG (2.0mm²)
3. 12-10 AWG (5.5mm²)



SGT-8

CRIMPING NON-INSULATED TERMINALS

1. 22-16 AWG (1.25mm²)
2. 16-14 AWG (2.0mm²)
3. 12-10 AWG (5.5mm²)
4. 8AWG (8mm²)



SGT-14

CRIMPING NON-INSULATED TERMINALS

1. 22-16 AWG (1.25mm²)
2. 16-14 AWG (2.0mm²)
3. 12-10 AWG (5.5mm²)
4. 8AWG (8mm²)
5. 6AWG (14mm²)



SGT-25

CRIMPING NON-INSULATED TERMINALS

- | | |
|------------------------------------|------------------------------|
| 1. 12-10 AWG (5.5mm ²) | 2. 8AWG (8mm ²) |
| 3. 6AWG (14mm ²) | 4. 4AWG (22mm ²) |

**SGT-38**


CRIMPING NON-INSULATED TERMINALS

- | | |
|------------------------------------|------------------------------|
| 1. 12-10 AWG (5.5mm ²) | 4. 4AWG (22mm ²) |
| 2. 8AWG (8mm ²) | 5. 2AWG (38mm ²) |
| 3. 6AWG (14mm ²) | |

**SGT-120**

CRIMPING NON-INSULATED TERMINALS

- | | |
|------------------------------|---------------------------------|
| 1. 8AWG (8mm ²) | 5. 1/0 AWG (60mm ²) |
| 2. 6AWG (14mm ²) | 6. 2/0 AWG (70mm ²) |
| 3. 4AWG (22mm ²) | 7. 3/0 AWG (80mm ²) |
| 4. 2AWG (38mm ²) | |

**SGT-A291**

CRIMPING CORD END SLEEVES

- | | |
|----------------------------------|---------------------------------|
| 1. 22 AWG (0.5mm ²) | 6. 12 AWG (4.0mm ²) |
| 2. 20 AWG (0.75mm ²) | 7. 10AWG (6.0mm ²) |
| 3. 18 AWG (1.0mm ²) | 8. 8 AWG (10mm ²) |
| 4. 16 AWG (1.5mm ²) | 9. 6 AWG (16mm ²) |
| 5. 14 AWG (2.5mm ²) | |

**SGT-A291A**

CRIMPING CORD END SLEEVES

- | | |
|-------------------------------|------------------------------|
| 1. 8 AWG (10mm ²) | 3. 4AWG (25mm ²) |
| 2. 6 AWG (16mm ²) | 4. 2AWG (35mm ²) |



SGT-A261

CRIMPING CORD END SLEEVES

- | | |
|----------------------------------|---------------------------------|
| 1. 26AWG (0.25mm ²) | 5. 18 AWG (1.0mm ²) |
| 2. 24AWG (0.34mm ²) | 6. 16 AWG (1.5mm ²) |
| 3. 22 AWG (0.5mm ²) | 7. 14 AWG (2.5mm ²) |
| 4. 20 AWG (0.75mm ²) | |



SGT-A261B

CRIMPING CORD END SLEEVES

- | | |
|---------------------------------|---------------------------------|
| 1. 16 AWG (1.5mm ²) | 3. 12 AWG (4.0mm ²) |
| 2. 14 AWG (2.5mm ²) | 4. 10AWG (6.0mm ²) |



SGT-338

STAINLESS STEEL CABLE TIE GUN

FOR CABLE TIE THICKNESS UP TO 0.3mm

WIDTH UP TO 7.9mm STEEL PLATE



SGT-731A

HEAVY DUTY WIRE STRIPPER

1. Cut and strip 24-10AWG Copper or Aluminum wire.
2. Crimping 22-10AWG (0.5-6.0mm²) Insulated terminals
3. Crimping 22-10AWG (0.5-6.0mm²) Non- insulated terminals
4. Crimping 7-8mm Ignition terminalsSGT-731B



SGT-731B

HEAVY DUTY WIRE STRIPPER

1. Cut and strip 24-10AWG Copper or Aluminum wire.
2. Crimping 22-10AWG (0.5-6.0mm²) Insulated terminals
3. Crimping 22-10AWG (0.5-6.0mm²) Non- insulated terminals
4. Crimping 7-8mm Ignition terminals

